


NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 8.48 lbs
- 8) WELDING: PER QSI 004
- 9) 2059B HARDCOAT WELD, 0.32 THICK x 0.50 WIDE, FLUSH WITH D4407-1 BAR ON LATERAL SURFACES
- 10) COAT ENTIRE TOP (CONCAVE) SURFACE WITH A LAYER OF PLUS ONE ROCKGUARD 4714, 0.020-0.040 THICK
- 11) FORM TO MATCH PROFILE OF D4406-1 AT TIME OF WELDING
- 12) TRANSFER $\varnothing 0.188$ HOLES FROM D4406-1 TO D4407-1
- 13) NOTCH D4407-1 BARS AS REQUIRED TO FORM TO D4406-1 PLATE

PRELIMINARY C1
12.11.16 AJS

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED		DRAWING NO. D4406	REV. PC1
MFG. APPR.			SHEET 2 OF 6
APPROVED		TITLE WEARPLATE ASSY	SCALE NTS
DE APPR.		COPYRIGHT © 2011 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	12.11.16		





NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 8.85 lbs
- 8) WELDING: PER QSI 004
- 9) 2059B HARDCOAT WELD, 0.32 THICK x 0.50 WIDE, FLUSH WITH D4407-3 BAR ON LATERAL SURFACES
- 10) COAT ENTIRE TOP (CONCAVE) SURFACE WITH A LAYER OF PLUS ONE ROCKGUARD 4714, 0.020-0.040 THICK
- 11) FORM TO MATCH PROFILE OF D4406-3 AT TIME OF WELDING
- 12) FILL TOOLING HOLE WITH WELD ONE PLACE ONLY
- 13) TRANSFER $\varnothing 0.188$ HOLES FROM D4406-3 TO D4407-3
- 14) NOTCH D4407-3 BARS AS REQUIRED TO FORM TO D4406-3 PLATE


PRELIMINARY C1
12.11.16 AJS

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED		DRAWING NO.	REV. PC1
MFG. APPR.		D4406	SHEET 3 OF 6
APPROVED		TITLE	SCALE
DE APPR.		WEARPLATE ASSY	NTS
DATE	12.11.16	COPYRIGHT © 2011 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	





D4406-3 PLATE
(MAKE FROM D4406-3F)



D4406-3F FLAT PATTERN

- NOTES:
- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET, 0.050 THICK (18 GAUGE)
PER AMS 5513 OR 5524
OR ASTM A240 OR ASME SA240
REF. DART SPEC. M304S18GA
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 2.5 lbs

PRELIMINARY C1
12.11.16 AJ5

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED		DRAWING NO.	REV. PC1
MFG. APPR.		D4406	SHEET 5 OF 6
APPROVED		TITLE	SCALE
DE APPR.		WEARPLATE ASSY	NTS
DATE	12.11.16	COPYRIGHT © 2011 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

